



EZBLEACH™ DISINFECTANT TABLETS

KEEP OUT OF REACH OF CHILDREN
DANGER

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetriene..... 48.21%

OTHER INGREDIENTS:..... 51.79%

TOTAL:..... 100.00%

Refer to dilution chart for Available Chlorine concentrations. This product is a broad spectrum disinfectant, contains 48.21% Sodium Dichloro-s-triazinetriene per tablet. This is equivalent to 29% available chlorine.

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center, or doctor immediate for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

YOU MAY ALSO CONTACT 1-800-420-9236 FOR EMERGENCY MEDICAL TREATMENT INFORMATION.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG. NO. 69470-37

EPA EST. NO. 69470-WV-02



EZBLEACH™ DISINFECTANT TABLETS

KEEP OUT OF REACH OF CHILDREN
DANGER

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetriene..... 48.21%

OTHER INGREDIENTS:..... 51.79%

TOTAL:..... 100.00%

Refer to dilution chart for Available Chlorine concentrations. This product is a broad spectrum disinfectant, contains 48.21% Sodium Dichloro-s-triazinetriene per tablet. This is equivalent to 29% available chlorine.

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center, or doctor immediate for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

YOU MAY ALSO CONTACT 1-800-420-9236 FOR EMERGENCY MEDICAL TREATMENT INFORMATION.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG. NO. 69470-37

EPA EST. NO. 69470-WV-02



EZBLEACH™ DISINFECTANT TABLETS

KEEP OUT OF REACH OF CHILDREN
DANGER

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetriene..... 48.21%

OTHER INGREDIENTS:..... 51.79%

TOTAL:..... 100.00%

Refer to dilution chart for Available Chlorine concentrations. This product is a broad spectrum disinfectant, contains 48.21% Sodium Dichloro-s-triazinetriene per tablet. This is equivalent to 29% available chlorine.

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center, or doctor immediate for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

YOU MAY ALSO CONTACT 1-800-420-9236 FOR EMERGENCY MEDICAL TREATMENT INFORMATION.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG. NO. 69470-37

EPA EST. NO. 69470-WV-02

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or clothing. Avoid breathing dust, wear chemical-resistant gloves and safety glasses or face shield when making up solution. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with precautionary statements and directions.

HEALTHCARE DISINFECTION: This product is a Hospital Use Disinfectant, General Healthcare disinfectant (479 ppm available chlorine disinfectant solution) is effective against standard gram positive and gram negative bacteria (staphylococcus aureus, pseudomonas aeruginosa and salmonella enterica) and Cold and flu viruses (respiratory syncytial virus, influenza H1N1). This product is also effective as a Healthcare disinfectant for critical areas potentially contaminated with C.Diff spores when used at a level of 1988 ppm available chlorine disinfectant solution.

GENERAL DISINFECTION: This product is a general disinfectant at 479 ppm available chlorine disinfectant solution effective against staphylococcus aureus, salmonella enterica, pseudomonas aeruginosa and cold and flu (respiratory syncytial virus, influenza H1N1). Prepare a 479 ppm solution; refer to dilution chart for the number of tablets to use. Apply to visibly clean surface with mop, cloth, sponge, brush, wipe, foaming equipment, or coarse trigger sprayer. Allow surface to remain wet for 10 minutes. Allow to air dry. Prepare a fresh solution weekly when using closed containers (spray bottles). Prepare a fresh solution daily when using open containers (buckets) or if solution becomes diluted. All treated equipment that will contact food, feed, or drinking water must be rinsed with potable water before reuse.

CLEANING PROCEDURE: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the disinfectant product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

INFECTIOUS MATERIALS DISPOSAL: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry, well-ventilated area at temperatures below 40°C/104°F. Avoid moisture getting into container.

DISPOSAL: Product or rinsates that cannot be used must be diluted with water before disposal in sanitary sewer.

DISINFECTION FOR SURFACES CONTAMINATED WITH CLOSTRIDIUM DIFFICILE

Special Label Instructions for Cleaning Prior to Disinfection against Clostridium difficile spores:

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

Manufactured by:
CLEARON CORP.
95 MacCorkle Avenue S.W.
South Charleston, WV 25303

Manufactured by:
Berkshire
21 River Street
Great Barrington, MA 01230
1.800.242.7000
WWW.BERKSHIRE.COM

DILUTION CHART

Solution ppm (mg/L) Available Chlorine	Tablets	Gallons of Water
100	1	3.8
380	1	1
479	5	4
958	5	2
1988	5	1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or clothing. Avoid breathing dust, wear chemical-resistant gloves and safety glasses or face shield when making up solution. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with precautionary statements and directions.

HEALTHCARE DISINFECTION: This product is a Hospital Use Disinfectant, General Healthcare disinfectant (479 ppm available chlorine disinfectant solution) is effective against standard gram positive and gram negative bacteria (staphylococcus aureus, pseudomonas aeruginosa and salmonella enterica) and Cold and flu viruses (respiratory syncytial virus, influenza H1N1). This product is also effective as a Healthcare disinfectant for critical areas potentially contaminated with C.Diff spores when used at a level of 1988 ppm available chlorine disinfectant solution.

GENERAL DISINFECTION: This product is a general disinfectant at 479 ppm available chlorine disinfectant solution effective against staphylococcus aureus, salmonella enterica, pseudomonas aeruginosa and cold and flu (respiratory syncytial virus, influenza H1N1). Prepare a 479 ppm solution; refer to dilution chart for the number of tablets to use. Apply to visibly clean surface with mop, cloth, sponge, brush, wipe, foaming equipment, or coarse trigger sprayer. Allow surface to remain wet for 10 minutes. Allow to air dry. Prepare a fresh solution weekly when using closed containers (spray bottles). Prepare a fresh solution daily when using open containers (buckets) or if solution becomes diluted. All treated equipment that will contact food, feed, or drinking water must be rinsed with potable water before reuse.

CLEANING PROCEDURE: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the disinfectant product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

INFECTIOUS MATERIALS DISPOSAL: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry, well-ventilated area at temperatures below 40°C/104°F. Avoid moisture getting into container.

DISPOSAL: Product or rinsates that cannot be used must be diluted with water before disposal in sanitary sewer.

DISINFECTION FOR SURFACES CONTAMINATED WITH CLOSTRIDIUM DIFFICILE

Special Label Instructions for Cleaning Prior to Disinfection against Clostridium difficile spores:

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

Manufactured by:
CLEARON CORP.
95 MacCorkle Avenue S.W.
South Charleston, WV 25303

Manufactured by:
Berkshire
21 River Street
Great Barrington, MA 01230
1.800.242.7000
WWW.BERKSHIRE.COM

DILUTION CHART

Solution ppm (mg/L) Available Chlorine	Tablets	Gallons of Water
100	1	3.8
380	1	1
479	5	4
958	5	2
1988	5	1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or clothing. Avoid breathing dust, wear chemical-resistant gloves and safety glasses or face shield when making up solution. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with precautionary statements and directions.

HEALTHCARE DISINFECTION: This product is a Hospital Use Disinfectant, General Healthcare disinfectant (479 ppm available chlorine disinfectant solution) is effective against standard gram positive and gram negative bacteria (staphylococcus aureus, pseudomonas aeruginosa and salmonella enterica) and Cold and flu viruses (respiratory syncytial virus, influenza H1N1). This product is also effective as a Healthcare disinfectant for critical areas potentially contaminated with C.Diff spores when used at a level of 1988 ppm available chlorine disinfectant solution.

GENERAL DISINFECTION: This product is a general disinfectant at 479 ppm available chlorine disinfectant solution effective against staphylococcus aureus, salmonella enterica, pseudomonas aeruginosa and cold and flu (respiratory syncytial virus, influenza H1N1). Prepare a 479 ppm solution; refer to dilution chart for the number of tablets to use. Apply to visibly clean surface with mop, cloth, sponge, brush, wipe, foaming equipment, or coarse trigger sprayer. Allow surface to remain wet for 10 minutes. Allow to air dry. Prepare a fresh solution weekly when using closed containers (spray bottles). Prepare a fresh solution daily when using open containers (buckets) or if solution becomes diluted. All treated equipment that will contact food, feed, or drinking water must be rinsed with potable water before reuse.

CLEANING PROCEDURE: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the disinfectant product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

INFECTIOUS MATERIALS DISPOSAL: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry, well-ventilated area at temperatures below 40°C/104°F. Avoid moisture getting into container.

DISPOSAL: Product or rinsates that cannot be used must be diluted with water before disposal in sanitary sewer.

DISINFECTION FOR SURFACES CONTAMINATED WITH CLOSTRIDIUM DIFFICILE

Special Label Instructions for Cleaning Prior to Disinfection against Clostridium difficile spores:

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

Manufactured by:
CLEARON CORP.
95 MacCorkle Avenue S.W.
South Charleston, WV 25303

Manufactured by:
Berkshire
21 River Street
Great Barrington, MA 01230
1.800.242.7000
WWW.BERKSHIRE.COM

DILUTION CHART

Solution ppm (mg/L) Available Chlorine	Tablets	Gallons of Water
100	1	3.8
380	1	1
479	5	4
958	5	2
1988	5	1